

鸿祥超硬材料 打磨精彩世界

玻璃工具 Glass tool



鸿祥超硬材料

HONGXIANG SUPERHARD MATERIAL

专业品牌—引领行业

柘城县鸿祥超硬材料有限公司

ZHECHENG HONGXIANG SUPERHARD MATERIAL CO.,LTD.

地址：
电话：
传真：
网址：

柘城县鸿祥超硬材料有限公司

ZHECHENG HONGXIANG SUPERHARD MATERIAL CO.,LTD.

科学为先 精锐为本



鸿祥超硬材料

HONGXIANG SUPERHARD MATERIAL

柘城鸿祥超硬材料有限公司

专业品牌-引领行业

专业品牌-引领行业
柘城鸿祥超硬材料有限公司

HONGXIANG SUPERHARD MATERIAL





公司简介

COMPANY INTRODUCTION

柘城鸿祥超硬材料有限公司成立于1990年，隶属于万克集团.是一个具有现代化管理经验和研发能力超强的高新技术企业，荣获多项国家、地方奖项和取得多项发明专利。不断创新精神，诚信为本，是我们立足之本。

主要产品人造金刚石，金刚石微粉。

2000年创新产品：金刚石钻头，金刚石砂轮，等玻璃工具

2008年研发石材工具，金刚石锯片，弹性模块，取芯钻等石材，陶瓷工具

2011年自主开发金刚石聚晶，复合片等石油，刀具产品

我们的产品一直得到客户满意和认可。出口到，英、法、德、西班牙、意大利、美国、加拿大、巴西、日本、韩国、泰国、越南、印度、埃及、伊朗、土耳其等52个国家，并多次参加国内外展会。

Zhengcheng Hongxiang Superhard Material Co.,Ltd was founded in 1990 which is affiliated with Wanke Group. The company is a high-tech enterprise with modern management experience and strong research and development ability. Besides, it has won many national and local awards and obtained several invention patents. Constant innovation and good faith are our foothold.

Mainly product:

- 1、Synthetic diamond and diamond powder.
- 2、In 2000,creative product:diamond drill bit,diamond wheel,diamond finger bit etc glass tools.The product is fit for kinds of glass machine,including hand machine, bench drill machine, straight edge machine, beveling machine, bilateral machine and numerical control machine etc.
- 3、In 2008, research and development product.Mainly include diamond saw blade,diamond core bit,diamond abrasive fickert etc stone and ceramic tools.
- 4、In 2011, self-develop PCD, PDC etc oil and cutting tool products, which mainly used for oil drilling, coal mining and geological exploration etc.

Our product has exported to United Kingdom France,Germany,Spain,Italy,USA,Canada,Brazil, Japan,Korea,Thailand, Vietnam,India,Egypt,Iran,Turkey etc 52 countries and participated in many domestic and international exhibitions.Besides, our product has won good satisfaction&recognition by domestic and foreign customers.





玻璃钻头 / Diamond drill bit for glass drilling.

类型：螺纹柄，直柄和锥柄。
特点：

- 1、钻速快
- 2、高效率，不崩边
- 3、同心度好
- 4、工作寿命长

适用机器：手钻，台钻，钻床等专业打钻机。

Type: Thread shank, straight shank and cone shank.

Feature:

- 1、fast drilling speed
- 2、high efficiency and no chipping
- 3、good concentricity
- 4、long working life

Fitting machine: hand machine, bench drill machine & kinds of drilling machine.



玻璃钻头-螺纹柄

Glass drill bit - Thread shank

直径 Diameter	5mm-100mm
长度 Length	75mm, 95mm
柄 Shank	1/2", 1/4"
可以根据客户需求定做 Can be custom-made	



玻璃钻头-直柄

Glass drill bit - Straight shank

直径 Diameter	5mm-100mm
长度 Length	60mm, 65mm
柄 Shank	8mm, 10mm
可以根据客户需求定做 Can be custom-made	



玻璃钻头-锥柄

Glass drill bit - Cone shank

直径 Diameter	5mm-100mm
长度 Length	75mm, 95mm
柄 Shank	45° Degree taper
可以根据客户需求定做 Can be custom-made	



电镀钻头

Electroplate drill bit

直径 Diameter	1.5mm-150mm
柄 Shank	直柄 Straight shank



倒角套
Countersink sleeves

直径 Diameter	5mm-100mm
----------------	-----------

可以根据客户需求定做
Can be custom-made




倒角器
Glass drill bit-Straight shank

直径 Diameter	0mm-65mm
----------------	----------

柄 Shank	直柄 锥柄 螺纹柄 Straight Cone Thread
------------	-----------------------------------

锥度 Degree taper	45°
--------------------	-----

可以根据客户需求定做
Can be custom-made



通水接头
Water swivel

柄 Shank	直柄 锥柄 螺纹柄 Straight Cone Thread
------------	-----------------------------------



转换接头
Taper shank adapter

可以根据客户需求定做
Can be custom-made



铣刀
CNC router bit

尺寸 Model(mm)	Φ 8*80*3
	Φ 10*80*3
	Φ 12*80*3
	Φ 14*80*4
	Φ 16*80*4
	Φ 18*80*4
	Φ 20*80*4
	Φ 20*80*5
	Φ 22*80*4
	Φ 22*80*5
	Φ 24*80*5
	Φ 25*80*5
Φ 26*80*5	




内孔磨轮
CNC arbor router

直径 Diameter	14,16,20,22mm
----------------	---------------

厚度 Thickness	4mm-19mm
-----------------	----------

粒度 Grit	80#-320#
------------	----------

可以根据客户需求定做
Can be custom-made



金刚石锯片
Diamond saw blade

直径 Diameter	85-450mm
----------------	----------

厚度 Thickness	1mm-2.1mm
-----------------	-----------

可以根据客户需求定做
Can be custom-made



玻璃砂轮 / Diamond wheel for glass

特 点:

- 1、高效磨削率
- 2、质量稳固
- 3、工作寿命长
- 4、不崩边

适用机器: 直边机, 斜边机, 双边机, 数控机器等。

Feature:

- 1.wear-resisting, grinding efficiently
- 2.stable quality
- 3.long working life
- 4.no chipping

Fitting machine: Straight edge machine, beveling machine, bilateral machine, numerical control machine etc



金刚石全齿砂轮
Diamond grinding wheel-Full segmented

外径 Outside diameter	175mm, 150mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	




金刚石内齿砂轮
Diamond grinding wheel-Internal segmented

外径 Outside diameter	175mm, 150mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	




金刚石外齿砂轮
Diamond grinding wheel-Outer segmented

外径 Outside diameter	150mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石砂轮
Diamond grinding wheel-Continuous

外径 Outside diameter	150mm, 130mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石树脂砂轮
Resin diamond grinding wheel-Continuous

外径 Outside diameter	150mm,130mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石树脂砂轮-胶木内齿
Resin diamond grinding wheel-Internal segmented

外径 Outside diameter	150mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石树脂砂轮-消音
Resin silent beveling wheel

外径 Outside diameter	150mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石树脂砂轮
Resin diamond grinding wheel-Continuous

外径 Outside diameter	150mm,130mm
孔径 Inside diameter	12mm-70mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石平行砂轮-圆弧
Pencil edge wheel (PE) for CNC machine

直径 Diameter	100mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	




金刚石平行砂轮-梯形
Trapezoidal edge wheel (FA) for CNC machine

直径 Diameter	100mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



蝶形砂轮
Cup wheel for angle machine

直径 Diameter	100mm
可以根据客户需求定做 Can be custom-made	



金刚石平行砂轮
Flat edge wheel

直径 Diameter	100,150,175,200mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石平行砂轮-45° 轮
45° wheel

直径 Diameter	100mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石周齿砂轮
Full Segmented Profile wheel

直径 Diameter	100mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石周齿V形轮
Peripheral Segmented V-Wheel

直径 Diameter	100mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石周齿FE轮
Peripheral Segmented (FE) -Wheel

直径 Diameter	100,150,175mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	




金刚石平行砂轮-圆弧
Pencil edge wheel (PE) for CNC machine

直径 Diameter	100mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石平行砂轮-梯形
3OG wheel for CNC machine

直径 Diameter	100mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



金刚石平行砂轮-梯形
OG wheel

直径 Diameter	100,150mm
厚度 Thickness	3mm-20mm
粒度 Grit	80#-320#
可以根据客户需求定做 Can be custom-made	



筒形轮
Cylindrical wheel

可以根据客户需求定做 Can be custom-made	
----------------------------------	--



直边轮
Straight edge wheel


可以根据客户需求定做
Can be custom-made




抛光轮
Polishing wheel

Stone wheel, BD, BK, 10S, X3000, X5000,
9R80, X081, EC-3, Cerium oxide wheel,


直径 100,150,175mm
Diameter




Trapezia edge wheel (FA) Glass 3MM-19MM




Pencil edge wheel (PE) Glass 3MM-19MM




OG Wheel Glass 3MM-19MM



2G Wheel Glass 3MM-19MM



3G Wheel Glass 3MM-19MM



1A1 Wheel (FE) Glass 3MM-19MM





人造金刚石 Synthetic Diamond

名称 Name	特征 Feature	用途 Usage	工件材料 Workpiece material
RVD	晶体大部分为不规则等积形，晶面粗糙。 Most crystals are irregular with rough surface.	树脂，陶瓷结合剂磨具或研磨膏等。 For making resin bond and vitrified bond abrasive tools or lapping paste etc.	硬质合金，玻璃，陶瓷，钻石，等。 Hard alloy, glass, ceramics, diamond etc.
MBD	晶形完整，晶面平滑，抗压强度高。 Well faceted crystals with smooth surface and high compressive strenght	金属结合剂磨具，电镀制品或钻探工具等。 For making metal bond abrasive tools, electroplated products and drilling tools etc	石材，混凝土，耐火材料，等。 Stone, concrete product, refractory etc.
SMD	晶形完整，晶面光滑，透明度高，抗压强度特高。 Well faceted and very clear crystals with smooth surface and high compressive strength	锯切，钻探及其修正工具等。 For making saw blades drilling and dressing tools etc	石材，混凝土，等。 Stone, concrete product, etc.
Diamond Micro Powder	粒度均匀，不含杂质，纯度高。 Grit is uniform, Don't contain impurities, High purity.	软磨片，抛光盘，研磨膏，聚晶，拉丝模，复合片。陶瓷，钻石，电子产品等。 For making polishing pads, polishing disk, diamond compound, PCD, diamond wire dies, polishing ceramics, electronic devices etc.	钻石宝石，硬质合金，电子产品，光学仪器等。 Diamond gem, hard alloy, electronic products, optical instrument, etc


金刚石复合片 Polystalline Diamond compact



聚晶复合片是由聚晶金刚石和硬质合金基体两部分构成。主要用于钻进软至中等硬度地层的金刚石复合片钻头。如采煤，地质钻探，石油钻井等。

Polycrystalline diamond composite is composed of polycrystalline diamond and cemented carbide substrate. Mainly used for drilling soft to medium hardness stratum PDC drill. Such as coal mining, geological drilling, oil drilling etc.

金刚石锯片 Diamond Saw blade



类型：连续，分段，波纹，加强波纹
用于：石材花岗岩、大理石、瓷砖等
适合机器：手动切割机器，电动切割机器

Type: continuous, segment, turbo, wave turbo
Used: Stone, granite, marble, ceramic etc
Fitting machine: handle cutting machine, power cutting machine